


The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented): A method for treating inflammation in a patient comprising administering a therapeutically effective amount of a compound of formula I or a physiologically compatible salt thereof to said patient




I

in which

R¹ and R² are the same or different and stand for a hydrogen atom, a C₁-C₅ alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,


R³ stands for a straight-chain or branched C₁-C₅ alkyl group or a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,

A stands for the group




(the dashed line means the interface site), in which
 R^4 to R^8 are the same or different from one another and mean
 a hydrogen atom, a halogen atom, a cyano group, a nitro group, a COOR^9 group
 whereby R^9 stands for a hydrogen atom, a straight-chain
 or branched $\text{C}_1\text{-C}_5$ alkyl group or a benzyl group,
 a CONR^{10} group,
 whereby R^{10} stands for a hydrogen atom or a straight-
 chain or branched $\text{C}_1\text{-C}_5$ alkyl group,
 an NHR^{11} group,
 whereby R^{11} stands for a hydrogen atom, a straight-
 chain or branched $\text{C}_1\text{-C}_5$ alkyl group, a straight-chain or branched,
 partially or completely fluorinated $\text{C}_1\text{-C}_5$ alkyl group, a $\text{C}_1\text{-C}_5$ acyl
 group, an $\text{-SO}_2\text{-(C}_1\text{-C}_5\text{)}$ alkyl group or an $\text{-SO}_2\text{-phenyl}$ group that is
 optionally substituted by halogen or a $\text{C}_1\text{-C}_5$ alkyl group,
 a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group, a
 straight-chain or branched $\text{C}_2\text{-C}_5$ alkenyl group, a straight-chain or
 branched $\text{C}_2\text{-C}_5$ alkynyl group, a straight-chain or branched $\text{C}_1\text{-C}_5$
 alkyl group that is partially or completely substituted by fluorine
 atoms, a $\text{C}_1\text{-C}_5$ acyl group, an aryl radical or a heteroaryl radical,
 or
 R^4 and R^5 together with the two carbon atoms of ring A mean
 a saturated or unsaturated carbocyclic ring with a total of 5-7 links,
 Ar stands for a ring system, selected from the group of

general partial formula 1 or 2,



1



2

in which

radicals X^{3a} , X^{3b} , X^4 , X^6 , X^7 (in partial formula 1) and Y^4 ,

Y^5 , Y^7 , and Y^8 (in partial formula 2) are the same or different and mean a

hydrogen atom, a straight-chain or branched C_1 - C_5 alkyl group, or a

straight-chain or branched, partially or completely fluorinated C_1 - C_5 alkyl

group,

radicals X^4 , X^6 , X^7 (in partial formula 1) or Y^5 , Y^7 , Y^8 (in partial formula 2) in

addition are the same or different and mean a hydrogen atom, a halogen

atom, a hydroxy group, a C_1 - C_5 alkoxy group or a C_1 - C_5 alkanoyloxy

group,

as well as their racemates or separately present stereoisomers.

2. (Previously Presented): A compound wherein said compound is selected from the following:

D' 6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D'

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1 6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D' (+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D,

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D¹

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D'

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

d'

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D' 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

1
(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D'

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

11

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

D'

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

D' (-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

5-[4-(5-fluoro-2-mesyaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesyaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

D' (+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-
methyl-2,3-benzoxazin-1-one

D' (-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

3. (Previously Presented): A compound according to claim 2, wherein said compound is a 2,3- Benzoxazin-1-one.


4. (Previously Presented): A method for preparing a pharmaceutical composition comprising formulating a compound according to claim 2 with vehicles, fillers, substances that influence decomposition, binding agents, humectants, lubricants, absorbents, diluents, flavoring correctives, or staining agents.

1/ 5. (Previously Presented): A method of claim 4, wherein said pharmaceutical composition is for treating inflammation in a patient.

6. (Previously Presented): A method according to claim 4, wherein said composition contains one or more pharmaceutically compatible vehicles.


7. (Cancelled):

8. (Presently Amended): A process for the production of compounds of ~~general~~ formula I,



I

~~comprising esterifying characterized in that~~ an α -ketocarboxylic acid of ~~general~~ formula II




II

~~in which A, R¹ and R² have the meanings that are indicated in formula I,~~
~~is either optionally esterified with a compound of general formula~~
wherein

1) R¹ and R² are the same or different and stand for a hydrogen atom, a C₁-C₅ alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

A stands for the group



(the dashed line means the interface site), in which

R⁴ to R⁸ are the same or different from one another and mean a hydrogen atom, a halogen atom, a cyano group, a nitro group, a COOR⁹ group whereby R⁹ stands for a hydrogen atom, a straight-chain or branched C₁-C₅ alkyl group or a benzyl group, a CONR¹⁰ group,

whereby R¹⁰ stands for a hydrogen atom or a straight-chain or branched C₁-C₅ alkyl group,

an NHR¹¹ group,

whereby R¹¹ stands for a hydrogen atom, a straight-chain or branched C₁-C₅ alkyl group, a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group, a C₁-C₅ acyl group, an -SO₂-(C₁-C₅) alkyl group or an -SO₂-phenyl group that is optionally substituted by halogen or a C₁-C₅ alkyl group,

11
a straight-chain or branched C₁-C₅ alkyl group, a straight-chain or branched C₂-C₅ alkenyl group, a straight-chain or branched C₂-C₅ alkynyl group, a straight-chain or branched C₁-C₅ alkyl group that is partially or completely substituted by fluorine atoms, a C₁-C₅ acyl group, an aryl radical or a heteroaryl radical, or

R⁴ and R⁵ together with the two carbon atoms of ring A mean a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

with a compound of formula III




in which R³ has the meaning that is indicated in general formula I,
wherein

R³ stands for a straight-chain or branched C₁-C₅ alkyl group or a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,
 and

R¹² means a C₁-C₅ alkyl group,
 in the presence of a catalyst, ~~such as, e.g., fluoride salts or basic compounds such as alkali carbonates, or~~

said α-ketocarboxylic acid of formula II is reacted with an alkyl metal compound,
~~for example a Grignard reagent or a lithium alkyl,~~ to form a compound of formula IV




(IV);

optionally the ester, if present, is cleaved again and then is reacted with a compound of general formula V



whereby wherein R^{13} means a hydrogen atom of a $\text{C}_1\text{-C}_5$ acyl group, and Ar stands for a ring system, selected from partial formula 1 and 2,



in which

radicals X^{3a} , X^{3b} , X^4 , X^6 , X^7 (in partial formula 1) and Y^4 , Y^5 , Y^7 , and Y^8 (in partial formula 2) are the same or different and mean a hydrogen atom, a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group, or a straight-chain or branched, partially or completely fluorinated $\text{C}_1\text{-C}_5$ alkyl group,

radicals X^4 , X^6 , X^7 (in partial formula 1) or Y^5 , Y^7 , Y^8 (in partial formula 2) in addition are the same or different and mean a hydrogen atom, a halogen atom, a hydroxy group, a $\text{C}_1\text{-C}_5$ alkoxy group or a $\text{C}_1\text{-C}_5$ alkanoyloxy group,

~~has the meaning that is indicated in general formula I,~~
 whereby the radical R^{13} is cleaved off, or

D¹ is reacted directly with a compound of general formula




whereby R^{13} means a hydrogen atom of a C_1 - C_5 acyl group, and Ar has the meaning that is indicated in general formula I, optionally after activation of the acid function by, e.g., conversion into the acid chloride, whereby the radical R^{13} is cleaved off in any sequence and is reacted with a compound of general formula III



in which R^3 and R^{12} have the above indicated meanings, in the presence of a catalyst, such as, e.g., fluoride salts or basic compounds such as alkali carbonates, or is reacted with an alkyl metal compound, for example a Grignard reagent or a lithium alkyl.

9. (Presently Amended): A method for treating an inflammatory, allergic or proliferative process in a patient comprising administering to said patient a therapeutically effective amount of a compound of formula I



I


in which

R^1 and R^2 are the same or different and stand for a hydrogen atom, a C_1 - C_5 alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

D'

R³ stands for a straight-chain or branched C₁-C₅ alkyl group or a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,

A stands for the group



(the dashed line means the interface site), in which

R⁴ to R⁸ are the same or different from one another and mean a hydrogen atom, a

halogen atom, a cyano group, a nitro group, a COOR⁹ group

whereby R⁹ stands for a hydrogen atom, a straight-chain

or branched C₁-C₅ alkyl group or a benzyl group,

a CONR¹⁰ group,

whereby R¹⁰ stands for a hydrogen atom or a straight-chain or

branched C₁-C₅ alkyl group,

an NHR¹¹ group,

whereby R¹¹ stands for a hydrogen atom, a straight-chain or

branched C₁-C₅ alkyl group, a straight-chain or branched, partially

or completely fluorinated C₁-C₅ alkyl group, a C₁-C₅ acyl group,

an -SO₂-(C₁-C₅) alkyl group or an -SO₂-phenyl group that is

optionally substituted by halogen or a C₁-C₅ alkyl group,

a straight-chain or branched C₁-C₅ alkyl group, a straight-chain or


branched C₂-C₅ alkenyl group, a straight-chain or branched C₂-C₅

D1

alkynyl group, a straight-chain or branched C₁-C₅ alkyl group that is partially or completely substituted by fluorine atoms, a C₁-C₅ acyl group, an aryl radical or a heteroaryl radical, or

R⁴ and R⁵ together with the two carbon atoms of ring A mean a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

Ar stands for a ring system, selected from the group of general partial formula 1 or 2,



in which

radicals X^{3a}, X^{3b}, X⁴, X⁶, X⁷ (in partial formula 1) and Y⁴, Y⁵, Y⁷, and Y⁸ (in partial formula 2) are the same or different and mean a hydrogen atom, a straight-chain or branched C₁-C₅ alkyl group, or a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,

radicals X⁴, X⁶, X⁷ (in partial formula 1) or Y⁵, Y⁷, Y⁸ (in partial formula 2) in addition are the same or different and mean a hydrogen atom, a halogen atom, a hydroxy group, a C₁-C₅ alkoxy group or a C₁-C₅ alkanoyloxy group,

D' as well as their racemates or separately present stereoisomers, and

wherein said process is a lung disease, rheumatic disease, auto-immune disease, degenerative joint disease, allergy, vascular disease, dermatological disease, nephropathy, liver disease, gastrointestinal disease, proctological disease, eye disease, disease of the ear-nose-throat, neurological disease, blood disease, tumor disease, endocrine disease, transplant, severe shock condition, vomiting, substitution therapy with suprarenal insufficiency, or pain with inflammatory origins.

10. (Previously Presented): A method according to claim 1, wherein said compound is

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D,

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D'

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

D' (-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

D, (+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-
methyl-2,3-benzoxazin-1-one

D1 (-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1 (-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one
(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one
(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one
6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one
(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one
(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D₁ (+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D' 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1 (+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

D1

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

D' (-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-
amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

D1 (+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

5-[4-(5-fluoro-2-mesyaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesyaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesyaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

D1 (-)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-
methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-
methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-
trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-
trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-
trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-
trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-
trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

D1

11. (Previously Presented): A method according to claim 9, wherein said compound is

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D/ (+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

D 1

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D' (+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D' 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

D1

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethyl-
propionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D'

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D¹

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

D1

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

21

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

D1

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

D'

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

11

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

① (-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

D1

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

12. (New): A method according to claim 1, wherein Ar is of partial formula 2, and Y⁴ is methyl.

D / 13. (New): A method according to claim 1, wherein Ar is of partial formula 2, Y⁴ is methyl, and Y⁵, Y⁷ and Y⁸ are each hydrogen.

14. (New): A method according to claim 1, wherein said compound is a 2,3-benzoxazin-1-one.

15. (New): A method according to claim 1, wherein said compound is a 4-methyl-2,3-Benzoxazin-1-one.

16. (New): A method according to claim 1, wherein R⁴ is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.

17. (New): A method according to claim 1, wherein R⁵ is H, fluoro, chloro, methoxy, hydroxy, or methyl.

18. (New): A method according to claim 1, wherein R⁵ is H.

19. (New): A method according to claim 17, wherein R⁵ is H.

20. (New): A method according to claim 1, wherein R⁶ is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.

21. (New): A method according to claim 1, wherein R⁶ is H.

22. (New): A method according to claim 17, wherein R⁶ is H.

23. (New): A method according to claim 1, wherein R⁷ is H, fluoro, or chloro.

24. (New): A method according to claim 1, wherein R⁷ is H.

D1

25. (New): A method according to claim 17, wherein R^7 is H.
26. (New): A method according to claim 1, wherein R^7 is F.
27. (New): A method according to claim 17, wherein R^7 is F.
28. (New): A method according to claim 1, wherein R^8 is H or fluoro.
29. (New): A method according to claim 1, wherein R^8 is H.
30. (New): A method according to claim 17, wherein R^8 is H.
31. (New): A method according to claim 1, wherein R^6 , R^7 , and R^8 are each H.
32. (New): A method according to claim 1, wherein said compound is administered in an amount of $1\mu\text{g}$ to $100,000\mu\text{g}$ per kg of body weight.
33. (New): A method according to claim 1, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.
34. (New): A method according to claim 9, wherein Ar is of partial formula 2, and Y^4 is methyl.
35. (New): A method according to claim 9, wherein Ar is of partial formula 2, Y^4 is methyl, and Y^5 , Y^7 and Y^8 are each hydrogen.
36. (New): A method according to claim 9, wherein said compound is a 2,3-Benzoxazin-1-one.

D' 37. (New): A method according to claim 9, wherein said compound is a 4-methyl-2,3- Benzoxazin-1-one.

38. (New): A method according to claim 9, wherein R^4 is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.

39. (New): A method according to claim 9, wherein R^5 is H, fluoro, chloro, methoxy, hydroxy, or methyl.

40. (New): A method according to claim 9, wherein R^5 is H.

41. (New): A method according to claim 39, wherein R^5 is H.

42. (New): A method according to claim 9, wherein R^6 is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.

43. (New): A method according to claim 9, wherein R^6 is H.

44. (New): A method according to claim 39, wherein R^6 is H.

45. (New): A method according to claim 9, wherein R^7 is H, fluoro, or chloro.

46. (New): A method according to claim 9, wherein R^7 is H.

47. (New): A method according to claim 39, wherein R^7 is H.

48. (New): A method according to claim 9, wherein R^7 is F.

49. (New): A method according to claim 39, wherein R^7 is F.

D 1

50. (New): A method according to claim 9 wherein R^8 is H or fluoro.
51. (New): A method according to claim 9, wherein R^8 is H.
52. (New): A method according to claim 39, wherein R^8 is H.
53. (New): A method according to claim 9, wherein R^6 , R^7 , and R^8 are each H.
54. (New): A method according to claim 9, wherein said compound is administered in an amount of $1\mu\text{g}$ to $100,000\mu\text{g}$ per kg of body weight.
55. (New): A method according to claim 9, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.
-